

SRI BROTHERS ENTERPRISES
310 SARAI REHMAN BHURA SYED SITARA
SCHOOL STREET ALIGARH 202001
UTTAR PRADESH INDIA
CON- +919045611265



World's NO-1 best mfg of all types food processing machinery



ABOUT OUR COMPANY

Enriched by vast industrial knowledge combined with great expertise, we, M&M Engineering has marked our self as trustworthy & leading position in the industry. We, M&M Engineering, are known as top Manufacturer, Supplier, exporter and Service Provider for wide range of Chapati Making Machine, Roti(Chapati) Making Machine, Khakhra making Machine, Bhakhri and Thepla Making Machine, Dough Ball Making Machine, Panipuri Making Machine etc. Established in 2015, we follow globally accepted technical norms and standards in our process of manufacturing and exporting reliable, easy to install and economical range of machinery.

Owing to our highly reliable range with such set standards and quality parameters, we have spread our market in whole India and in some leading countries like Australia, South Africa, USA etc. This has enabled us to meet the varied demands of eminent clients and we have provided our best machines to them.



MISSION

Our Mission is to provide a high quality and reliable machine to our customers which in return provide our customers, a enrich experience and hassle free production. We focus on partnering with the customer to help run their bussiness and keeping that in mind, we aim to provide reliable and fast after sales service.



VISION

Our Vision is to provide a ultimate level of customer satisfaction by providing the machine which meets our customers needs. We thrive to innovate and hence keeps a vision of becoming a global leader in our domain.



STRATEGY

Our Strategy is quite simple. Provide a economical and innovative solutions to our customers which fits best to them. We adjust ourselves as per the need of our clients and that our key aspect of strategy.



Automatic Khakhra Making Machine

Khakhra Making Machine (MINI MODEL)

Type	KM550	KMRM200
Production Rate (Nos./Hr.)	550	200
Roasting Platform (Nos.)	N.A.	2
Cycle Time in Sec.	N.A.	40
Elect. Motor, 3 ϕ , (Hp)	1 & 0.5	1 & 0.5
Connected Load (Hp)	9.5	9.5
Running Load (HP)	5.5	6
Elect. Consumption (Kw/Hr.)	5	4.5
Dimensions (LxWxH) (mm)	2800x600x1600	3000x600x1500
Weight (Kg.)	400	400

Automatic Khakhra Making Machine

Specification	KM350	KM700	KM1000	KM1400	KM1800	KM2100	KM2800
Production Rate (Nos./Hr.)	350	700	1000	1400	1800	2100	2800
Elect. Motor, 3 ϕ (HP)	1 & 0.5	1 & 0.5	2 & 0.5	3 & 0.5	4 & 0.5	5 & 0.5	7 & 0.5
Connected Load (HP)	9.5	13.5	18.5	26.5	28.5	36	38
Running Load (HP)	5.5	9	12	18	20	25	30
Elect. Consumption (Kw/Hr.)	5	6	8	12	15	20	24
Dimensions (LxWxH) (mm)	3000x600x1600	3700x600x1600	3700x1000x1600	4600x1000x1600	4600x1000x1600	5500x1000x1600	4600x1000x1600
Weight (Kg.)	450	600	1200	1500	1650	1500	2000




Automatic khakhara Roasting Machine



Specification	RM700	RM1000	RM1400	RM2100
Production Rate (Nos./Hr.)	700	1000	1400	2100
Elect. Motor, 3Ø (HP)	1	1	1	1
Roasting Platform (Nos.)	8	12	16	24
Cycle Time (Sec)	40	40	40	40
Connected Load (HP)	16	24	32	48
Running Load (HP)	8	15	18	30
Elect. Consumption (Kw./Hr.)	6	8	13	20
Dimensions (LxWxH) (mm)	1500x2150	1830x2150	2130x2150	3000x2150
Weight (Kg.)	600	700	850	1200

Agro



Semi Automatic
Khakhra Roasting
Machine



Fully Automatic Dosa Khakhra Making Machine



Type	DKM8	DKM12	DKM16	DKM24
Platform (Nos.)	8	12	16	24
Cycle Time in Sec.	Adj.	Adj.	Adj.	Adj.
Connected Load (Hp)	16	24	32	48
Running Load (HP)	8	15	18	26
Elect. Consumption (Kw/Hr.)	6	8	13	20
Elect. Motor, 3ø, (Hp)	1	1	1	1
Dimensions (Dia. X H) (mm)	1530 x 1800	1830 x 1800	1830 x 1800	3000 x 1800
Weight (Kg.)	625	700	850	1200

Agriex

Automatic Oil Spray Machine



Bhakhri and Thepla Making Machine



Bhakhri Making Machine

Type	BM2100
Production Rate (Nos./Hr.)	2100
Weight of Bhakhri	20 to 30 Gm.
Thickness of Bhakhri	1.5 to 2.5 mm
Size of Bhakhri (Inch.)	ø 4
Elect. Motor, I _a (Hp)	1 & 0.5
Dimensions (LxWxH) (mm)	1300x600x1600
Weight (Kg.)	350

Page 10



Fully Automatic Thepla Making Machine

Type	TMM1000	TMM2000
Capacity	1000 Nos./Hr.	2000 Nos./Hr.
Weight of Thepla	25 to 30 Gm	25 to 30 Gm
Thickness of Thepla	1.5 to 2.5 mm	1.5 to 2.5 mm
Size of Thepla (Inch.)	ø 4 to ø 7	ø 4 to ø 7
Elec. Motor, I _a (Hp)	1	2
Dimensions (LxWxH) (mm)	2400x600x1250	3000x800 x1250
Weight (Kg.)	300	350

Page 11

Automatic Chapati Making Machine

Type	ARM500	ARM1000	ARM2000
Capacity (Nos/Hr.)	500	1000	2000
Weight of Chapati (gm)	25 to 45	25 to 45	25 to 45
Thickness of Chapati (mm)	1.5 to 2.5	1.5 to 2.5	1.5 to 2.5
Size of Chapati	ø 4 to ø 8	ø 4 to ø 8	ø 4 to ø 8
LPG Consumption (Kg/Hr.)	1.5 to 2.5	2 to 3	5 to 6
LPG Pressure (P.S.I.)	4 to 6	5 to 7	7 to 10
Elect. Consumption (Kw/Hr.)	1.5	1.5	2.5
Dimensions (LxWxH) (mm)	1615x560x1000	2270x560x1000	2270x750x1000
Weight (Kg.)	260	325	450

Apam





Fully Automatic Chapati Making Machine

Type	ARM1000RT	ARM2000RT	ARM3000RT	ARM5000RT
Capacity (Nos./Hr.)	1000	2000	3000	5000
Weight of Chapati (Gm)	25 to 45	25 to 45	25 to 45	25 to 45
Thickness of Chapati (mm)	1.5 to 2.5	1.5 to 2.5	1.5 to 2.5	1.5 to 2.5
Size of Chapati	ø 4 to ø 8	ø 4 to ø 8	ø 4 to ø 8	ø 4 to ø 8
LPG Consumption (Kg./Hr.)	2 to 3	3 to 5	4 to 7	6 to 9
LPG Pressure (P.S.I.)	5 to 7	7 to 10	8 to 10	9 to 12
Elec. Consumption (Kw./Hr.)	2	2	3	5
Dimensions (LxWxH) (mm)	3000x600x1200	3600x600x1200	5400x600x1200	6000x600x1200
Weight (Kg.) Approx.	400	550	700	900

Aggno



Dough Making Machine

Specification	DM10	DM20	DM 30	DM 40	DM 50
Production Rate (Kg)	10	20	30	40	50
Electric Motor (HP) 1ø/3ø	1	1.5	2	3	4
Dimensions (LxWxH) (mm)	900x350x900	1050x700x1050	1200x900x1200	1350x950x1200	1450x950x1200
Weight (Kg.)	145	160	170	180	200

Aggno



Dough Ball Making Machine

Specification	DB2500
Capacity (Nos./Hr.)	2500
Weight of Dough Ball* (gm)	20 to 50
Electric Motor (HP)	2
Dimensions (LxWxH) (mm)	560x620x980
Weight (Kg.)	155

Aggno

PUFFER TABLE





Samosa Making Machine

Specification	SMM4000
Capacity (Nos./Hr.)	4000
Weight of Samosa (gm)	30 to 40
Samosa Size (mm)	100x80x80
Electric Motor (HP)	2
Dimensions (LxWxH) (mm)	860x460x1150
Weight (Kg.)	175

Approx



Automatic Roti Making Machine

Type	RM2000
Capacity (Nos./Hr.)	2000
Weight of Chapati (Gm)	25 to 45
Thickness of Chapati (mm)	1.5 to 2.5
Size of Chapati	ø 4.5" to ø 7"
Elec. Consumption (Kw/Hr.)	1
Dimensions (LxWxH) (mm)	850x650x550
Weight (Kg.) Approx.	135

Approx

Chapati Pressing Machine

Type	CPM1000	CPM2000
Capacity (Nos./Hr.)	1000	2000
Weight of Chapati (Gm)	25 to 45	25 to 45
Thickness of Chapati (mm)	1.5 to 2.5	1.5 to 2.5
Size of Chapati (In.)	ø 4 to ø 8	ø 4 to ø 8
Elec. Consumption (Kw/Hr.)	1.5	2.5
Dimensions (LxWxH) (mm)	310x310x400	310x450x400
Weight (Kg.)	95	155

Approx



Panipuri, Farsipuri, Sakkarpara, Samosa Patti Making Machine



Type	RT01		RT01C (Compact)	
Capacity	1000 Nos./Hr.	2000 Nos./Hr.	10000 Nos./Hr.	4000 Nos./Hr.
Weight of Chapati/Puri	25 to 45 Gm	25 to 45 Gm	5 to 12 Gm	5 to 12 Gm
Thickness of Chapati/Puri	1.5 to 2.5 mm	1.5 to 2.5 mm	1.5 to 2.5 mm	1.5 to 2.5 mm
Size of Chapati/Puri	6"	6"	2"	2"
Elec. Consumption	1 Kw/Hr.	1 Kw/Hr.	1 Kw/Hr.	0.5 Kw/Hr.
Dimensions (LxWxH) (mm)	2000x600x1250	2000x600x1250	2400x600x1250	900x400x900
Weight (Kg.) Approx.	250	250	250	100

Aggno

Fully Automatic Panipuri Making Machine

Type	RM1000
Capacity	10000 Nos./Hr.
Weight of Chapati/Puri	5 to 12 Gm
Thickness of Chapati/Puri	1.5 to 2.5 mm
Size of Chapati/Puri	2"
Elec. Consumption	1 Kw/Hr.
Dimensions (LxWxH) (mm)	2000x600x1250
Weight (Kg.) Approx.	250

Aggno



Dough Making Machine (Horizontal)



Panipuri Water Filling Counter



**3 Nozzle
(Table Top)**



3 Nozzle



3 Nozzle



4 Nozzle

Panipuri Water Filling Counter



5 Nozzle



8 Nozzle

Kitchen Equipment



Vegetable Cutter

Capacity	200kg/hrs	1000kg/hrs
Elect. Motor	1 (HP)	2 (HP)
Weight	45 (kg)	72 (kg)
L x W x H (Inches)	21x11x22	23x14x28



Onion / Chilly Cutter

Capacity	200kg/hrs	450kg/hrs
Elect. Motor	1 (HP)	2 (HP)
Weight	26 (kg)	52 (kg)
L x W x H (Inches)	21x12x20	22x17x26



Gravy Machine

Elect. Motor	2 (HP)	3 (HP)	5 (HP)
Weight	35 (kg)	42 (kg)	72 (kg)
L x W x H (Inches)	20x17x25	23x17x30	24x17x30



Potato Piller

Capacity	10 kg	20 kg	30 kg	50 kg
Elect. Motor	1 (HP)	1.5 (HP)	2 (HP)	3 (HP)
Weight	52 (kg)	74 (kg)	100 (kg)	120 (kg)
L x W x H (Inches)	23x16x32	29x18x40	34x22x43	37x27x45



Namkeen Machine

Capacity	7 inches	9 inches
Elect. Motor	0.75 (HP)	1 (HP)
Weight	58 (kg)	75 (kg)
L x W x H (Inches)	42x11x19	46x13x20



Samosa Griller

Capacity	Single	Double
Weight	10 (kg)	21 (kg)
L x W x H (Inches)	20x13x12	20x27x13

Kitchen Equipment



Chopping Machine

Capacity	200 kg./hrs.
Elect. Motor	0.5 (HP)
Weight	53 (kg)
L x W x H (Inches)	22x16x21



Potato Wafer

Capacity	250kg/hrs
Elect. Motor	1 (HP)
Weight	47 (kg)
L x W x H (Inches)	19x14x26



Pizza Oven

Size (Inches)
18"x18"
24"x24"



Deep French Fryer Table Top

Weight	35 (kg)
L x W x H (Inches)	28x16x36
Oil Capacity	13ltr.



Wet Grinder

Capacity	10ltr.
Elect. Motor	1 (HP)
Weight	135 (kg)
L x W x H (Inches)	33x22x40



Spiral Mixer

Capacity	15kg	30kg	60kg	90kg
Elect. Motor	3+1 (HP)	5+1 (HP)	7+2 (HP)	9+3 (HP)
Weight	265 (kg)	370 (kg)	405 (kg)	450 (kg)
L x W x H (Inches)	42x22x33	46x22x42	48x22x46	52x28x50

Kitchen Equipment



Heavy Duty Mixer Grinder

Capacity	5ltr.	10ltr.	15ltr.
Elect. Motor	1.5 (HP)	2 (HP)	3 (HP)
Weight	30 (kg)	36 (kg)	48 (kg)
L x W x H (Inches)	11x11x24	11x14x30	17x15x37



Dryer Machine

Elect. Motor	1 (HP)
Weight	77 (kg)
L x W x H (Inches)	35x25x30



Waste Crusher

Elect. Motor	1 (HP)
Weight	80 (kg)
L x W x H (Inches)	24x24x36

Idli Steamer

Capacity	12 tray	6 tray
Weight	60 (kg)	39 (kg)
L x W x H (Inches)	24x25x47	24x25x35



Cooking Equipment



Single Burner Cooking Range



Two Burner Cooking Range



Three Burner Cooking Range



Stock Pot - Single Burner Gas Stove



Four Burner Cooking Range with Oven



Four Burner Cooking Range



Single Burner Stove with Deep Kadai



Three Burner Cooking Range with G.N. Pan



Single Burner Cooking Range with Pantry Table



Chapati Puffer Table



Dosa Plate



Single / Two Burner Cooking Range with Dosa Plate



Single / Two Burner Chinese Cooking Range



Three Burner Chinese Cooking Range



Dom Type Chinese Cooking Range



Indian With Chinese Cooking Range



Single Chamber



Double Chamber



Table Top

Packaging Machinery

Vacuum Packing Machine

Model	VP5500	VPD600	Table Top
Voltage	220-380V/50-60HZ	220-380V/50-60HZ	220-380V/50-60HZ
Power of pump (Kw/Hp)	0.75	1.5	0.4
Heat-sealing power (Kw)	0.6	3.1	0.5
Lowest absolute pressure (Kpa)	1.33	1.33	1.33
Volume of vacuum case (mm)	525x525x100	670x540x110	280x390x50
Sealing strip size (mm)	500 x 10	600 x 10	260 x 10
Number of heater (Nos.)	2	4	1
Exhaustment of vacuum pump (m3/h)	20	40	
Material of vacuum case and lid	SS 304	SS304	SS304
Dimension (LxWxH) (mm)	660x380x960	1450x750x1000	450x350x350
Weight (Kg.) (Approx.)	140	320	33

Approx

Shrink Packing Machine

Specification	SPM85	SPM106	SPM128	SPM1812
Voltage	220-380V/50-60HZ	220-380V/50-60HZ	220-380V/50-60HZ	220-380V/50-60HZ
Power (Kw)	2.5	3.5	4.5	5.5
Shrinkable Item (mm)	180x100	230x120	280x180	430x220
Bearable Weight (Kg)	5	5	5	10
Running Speed (Piece/Hr.)	Variable	Variable	Variable	Variable
Dimension (mm)	900x350x550	1000x460x650	1125x650x800	1200x650x1300
Weight (Kg)	28	35	45	60

Approx



Packaging Machinery

L Sealer

Specification	LSM
Voltage	220-380/50-60Hz
Packing Dimension (mm)	450x300x250
Running Load (Kw/Hr.)	2
Power Consumption (Kw)	3.5
Dimension (mm)	1895x720x1080
Weight (Kg.) Approx.	25

Approx



Band Sealer

Specification	BSM900
Voltage	220-380/50-60Hz
Power (Watt)	500
Sealing Speed (m/min.)	0-12
Sealing Width (mm)	12
Temperature Range	0-400
Conveyor Loading (Kg.)	3
Dimension (mm)	850x420x360
Weight (Kg.) Approx.	25

Approx



- **Food Processing Machinery**

- Khakhra Making Machine
- Khakhra Roasting Machine
- Bhakhari and Thepla Making Machine
- Dough Ball Making Machine
- Dough Making Machine
- Automatic Chapati Making Machine
- Semi-Automatic Chapati Making Machine
- Panipuri Making Machine
- Samosa Making Machine

- **Electrical Control Panel**

- **Panipuri Water Filling Counter**

- **Kitchen Equipment**

- **Special Purpose Machines**

- **Cooking Equipment**

- **SS Rack & Trolley and SS Canteen Dining Table**

- **Wash area Equipments and Work Table**

- **Packaging Machinery**

- Vacuum Packing Machine
- Shrink Packing Machine
- L Sealer
- Band Sealer Machine

SRI BROTHERS ENTERPRISE

ADDRESS

310 SARAI REHMAN BHURA SYED SITARA SCHOOL
STREET ALIGARH 202001UTTAR PARDESH INDIA

WEB

[HTTP://.SRIROTHERSENERPRISES.COM](http://.SRIROTHERSENERPRISES.COM)
[HTTP:// SRIBROTHERSENERPRISES.CO.IN](http://SRIBROTHERSENERPRISES.CO.IN)

EMAL

SRIBROTHERS6432@GMAIL.COM

CONTACT

+91 9045611265
+91 9760903786